XI'AN FUNCTION MATERIAL GROUP CO.,

LTD Safety Data Sheet Bismuth Vanadium Oxide

1. Product and Company Identification

Trade Name: Bismuth vanadium oxide

Chemical Formula: BiVO₄

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XIAN
State: SHAANXI
Zip Code: 710077
Country: CHINA

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word:

Warning



Hazard Statements: H315 Causes skin irritation.

H319 Causes serious eye irritation. H335: May cause respiratory irritation

H302: Harmful if swallowed

Precautionary Statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

	2 Composition
3. Composition	
Chemical Family: Additional Names:	Ceramic
Additional Names:	Bismuth vanadate
Bismuth vanadium oxide (BiVO ₄):	
Percentage: CAS #:	100 wt%
EC #:	14059-33-7 237-898-0
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek Medical Attention.
Skin:	Wash affected area with mild soap and water. Remove any
Even	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
W. 107	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exp	osure Controls and Personal Protection
Permissible Exposure Limits:	N/A
Threshold Limit Value:	N/A
Special Equipment:	None
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a
	backup to engineering controls. Risk assessment should be performed
	to determine if air-purifying respirators are appropriate. Only use
	equipment tested and approved under appropriate government standards.
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long
•	sleeves/pants.
9. P	hysical and Chemical Characteristics
Color	Red/yellow
Form:	Powder, Sputtering target
Odor:	Odorless
Water Solubility: Boiling Point:	Insoluble N/A
Melting Point:	N/A N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	6.25 g/cc
Molecular weight:	323.2 g/mol
Stability: Reacts With:	10. Reactivity Stable under recommended storage conditions Oxidizing agents
Incompatible Conditions:	None None
Hazardous Decomposition Products:	Vanadium oxides, Bismuth oxides
	11. Toxicological Information
Potential Health Effects:	
Eyes: Skin:	Causes serious eye damage Causes skin irritation
Skin: Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	N/A
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative: Notes:	No N/A
INTERNAL PROPERTY.	N/A

N/A

Notes:

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder.



Hazard Class: 6.1 Toxic substances

Packing Group: III UN Number: UN3285

Proper Shipping Name: Vanadium compound, n.o.s. (Bismuth vanadium oxide)

15. Regulatory Information

Sec 302 Extremely Hazardous:

No
Sec 304 Reportable Quantities:

N/A
Sec 313 Toxic Chemicals:

Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/08/2019